

ACOUSTIC SOLUTIONS

Panels Application





About US

sound absorbing products based on 100% polyester fiber materials, which can effectively enhance the acoustics and aesthetics of the room. With excellent product quality and unique design, we provide sustainable design-oriented acoustic products for the built environment, office space, public space, etc. All passed rigorous durability, fire and acoustic testing.

CERTIFICATION

OEKO

The main task of OEKO-TEX Standard 100 is to detect harmful substances in textiles to determine their safety.

The Oeko-Tex Standard 100 sets limits on the content of hazardous substances in yarns, fibers and various textiles based on the latest scientific knowledge. Only manufacturers who provide demonstrable quality guarantees in accordance with strict testing and inspection procedures are allowed to use the Oeko-Tex label on their products.

Greenish® PET panel has got the Class I (baby articles—the highest level).

Product class I (baby articles) have shown that the material FREE OF ANY HARMFUL SUBSTANCES and meet the human-ecological requirements of the standard presently established for baby articles.

SCS

The certification marks a significant achievement in sustainability and shows that our Greenish® has taken the necessary steps to protect the environment and be socially responsible.

GREENGUARD

Products labeled with GREENGUARD certification indicate to the market that the product has low-release characteristics. And our products are GREENGUARD Gold rated, which is specifically developed for health sensitive children and other vulnerable people with mental health. It is based on key indicators from public health agencies, this certification sets the world's toughest release limits for more than 360 chemicals.

EPD

EPD has a strong supporting effect on product ecological design, green procurement, green consumption and so on.

EPD certification results provide another parameter option in addition to product performance, price, function and other parameters – environmental impact, to help consumers effectively delete products.

SGS

ASTM E84 Class A, EN13501 Class B.
Greenish® Focus on real fore-spinning permanent flame retardant PET PANELS. ASTM E84 Class A, EN13501 Class B CERTIFICATED.

And anyother test reports ,such as ISO9001/ISO14001/REACH/ROHS and so on.



Focus on real fore-spinning permanent flame retardant PET PANELS
ASTM E84 Class A, EN13501 Class B CERTIFICATED.

ACOUSTIC PET PANELS
FLAME RETARDANT PANELS



ACOUSTIC



RECYCLABLE



PRINTABLE



FIRE & SMOKE SAFETY



THERMAL INSULATION



VENTILATED



LIGHT WEIGHT



DECORATIVE



TACKABLE



HIGHIMPACT RESISTANCE



HASSLEFREEINSTALLATION



NON-DISCHARGE

ARTISTICO® ACOUSTIC PANELS

FLAME RETARDANT PANELS



ARTISTICO® ACOUSTIC PANELS

STANDARD PANELS




WHAT ARE ARTISTICO ACOUSTIC SOLUTIONS?

ARTISTICO sound-absorbing panels, using 100% polyester fiber as raw material, pure physical production process, no waste water, waste gas, waste emissions, is a new material of variety air permeability and density. With excellent sound absorption, flame retardant, heat insulation, thermal insulation, aesthetic decorative performance, totally meet the contemporary interior design and decoration of new environmental protection.

Artistico acoustic solutions are all based on acoustic panel materials, reduce noise effectively, create a comfortable free conversation environment and experience better speech clarity. Rich color selection, widely application, highly improved room acoustics and aesthetics.

ARTISTICO SOUND ABSORPTION COEFFICIENT



PET acoustic panel

9mm/12mm/24mm
1220x2440mm/1225x2800mm

ARTISTICO® ACOUSTIC PANELS

PET ACOUSTIC PANELS

100% PET

| Material | Size | Weight | Thickness |
|----------|-----------|--------------|-----------|
| PET 100% | 1220x2440 | 600~3600g/m² | 3~24mm |
| PET 100% | 1225x2800 | 600~3600g/m² | 3~24mm |

POLISHED
PET acoustic panel
POLISHED PANELS

COMPOSITION:
100% PET

ARTISTICO® ACOUSTIC PANELS

POLISHED PANELS
100% PET

| Material | Size | Weight | Thickness |
|----------|-----------|--------------|-----------|
| PET 100% | 1220x2440 | 600~3600g/m² | 3~24mm |
| PET 100% | 1225x2800 | 600~3600g/m² | 3~24mm |


ARTISTICO® ENGRAVING CEILING




















PET ENGRAVING CEILING

100% PET

| Material | Size | Thickness |
|----------|------------------|-----------|
| PET 100% | 1200x1200x200 mm | 9/12/48mm |
| PET 100% | 1200x1200x300 mm | 9/12/48mm |
| PET 100% | 1200x1200x400 mm | 9/12/48mm |

*Please turn to the next page for style display






ARTISTICO®



With acoustic design, a completely focused and efficient office environment can be created. Design diversity, strong plasticity, excellent decorative role, Artistico Acoustic products can be widely used in commercial and interior design to get the function of sound absorbing noise reduction, beautifying space.





ceiling baffle system that utilises PET panel in both 12mm and 24mm thickness accpet customized and other thickness) It helps to control reverberated noise in busy public spaces including work-place,education and hospitality environments.


ARTISTICO® ENGRAVING CEILING

PET RECTANGULAR SOUND ABSORBER 100% PET

| Material | Size | Thickness |
|----------|------------------|-----------|
| PET 100% | 1200x1200x200 mm | 24/48mm |
| PET 100% | 1200x1200x300 mm | 24/48mm |
| PET 100% | 1200x1200x400 mm | 24/48mm |

PET RECTANGULAR SOUND ABSORBER
1200x1200x300 mm





Reduce the irritating reverberation of sound with ARTISTICO Acoustic Clouds.
Easy installation, the shape is suspended from the ceiling substrate



ARTISTICO® PET ENGRAVING CEILING

PET TRIANGULAR SOUND ABSORBER

100% PET

| Material | Size | Thickness |
|----------|-----------------|-----------|
| PET 100% | 1200x100x350 mm | 9/12mm |

TRIANGULAR SOUND ABSORBER
1200x100x350 mm






ARTISTICO® PET ENGRAVING CEILING

PET WING CEILING

100% PET

| Material | Size | Thickness |
|----------|------------|-----------|
| PET 100% | 623x400 mm | 9/12mm |

WING CEILING
623x400 mm







ARTISTICO® PET ENGRAVING CEILING

PET ACOUSTIC CLOUD

100% PET

| Material | Size | Thickness |
|----------|----------------|-----------|
| PET 100% | 915x792x140 mm | 9/12mm |





Reduce the irritating reverberation of sound with ARTISTICO Acoustic Clouds. Easy installation,the shape is suspended from the ceiling substrate

ARTISTICO® Acoustic Wall Panel


ARTISTICO® PET ENGRAVING WALL PANEL

PET ENGRAVING WALL PANEL


100% PET

| Material | Size | Thickness |
|----------|------------------|-----------|
| PET 100% | 1200x1200x132 mm | 9/12mm |
| PET 100% | 1200x1200x97 mm | 9/12mm |

GRS-BL-001



GRS-BL-002







PET Panel with chamfered edge + V Grooved and is idea for panel-to-panel wall applications and is available in 12mm and 9mm thickness and about 40 colors depending on acoustic requirement MOQ and accept customization. NO MOQ and accept customization.




ARTISTICO® PET ENGRAVING WALL PANEL

PET COLORFUL WALL PANEL

100% PET

| Material | Size | Thickness |
|----------|-----------------|-----------|
| PET 100% | 300x160x1200 mm | 9mm |
| PET 100% | 300x160x2400 mm | 9mm |

GRS-SC-001





ARTISTICO® Acoustic Wall Panel



Artistico
Furniture



ARTISTICO Acoustic Wall Panel
Reduce the irritating reverberation of sound with Acoustic Clouds.
Easy installation, the shape is suspended from the ceiling substrate




ARTISTICO® Acoustic Wall Panel


ARTISTICO® PET ENGRAVING WALL PANEL

PET ENGRAVING V GROOVE SERIES


100% PET

| Material | Size | Thickness |
|----------|--------------|-----------|
| PET 100% | 1200x2400 mm | 9/12mm |





ARTISTICO® Acoustic Wall Panel




ARTISTICO® PET ENGRAVING WALL PANEL

PET ENGRAVING V GROOVE SERIES


100% PET

| Material | Size | Thickness |
|----------|--------------|-----------|
| PET 100% | 1200x2400 mm | 9/12mm |


GRS-FE-001




GRS-FE-002




GRS-FE-003




GRS-FE-004



GRS-FE-005



GRS-FE-006



ARTISTICO® Acoustic Wall Panel





ARTISTICO® PET ENGRAVING WALL PANEL

3D PET WALL PANEL

100% PET

| Material | Size | Thickness |
|----------|--------------|-----------|
| PET 100% | 1100x2400 mm | 14mm |

GRS-PR-001




ARTISTICO® PET ENGRAVING WALL PANEL

3D PET WALL PANEL

100% PET

| Material | Size | Thickness |
|----------|--------------|-----------|
| PET 100% | 1100x2400 mm | 10.5mm |

GRS-PR-002







ARTISTICO® PET ENGRAVING WALL PANEL


3D PET WALL PANEL

100% PET

| Material | Size | Thickness |
|----------|--------------|-----------|
| PET 100% | 1100x2400 mm | 10.5mm |

GRS-PR-003





3D Modular is designed to be used as a broadband sound absorber in the frequency range of 250 HZ and above. These panels help reduce disturbing reflections of environmental noise such as voices, telephones etc.



ARTISTICO® PET ENGRAVING WALL PANEL

3D PET WALL PANEL

100% PET

| Material | Size | Thickness |
|----------|------------|-----------|
| PET 100% | 500x500 mm | 20mm |

GRS-PR-004











ARTISTICO® PET ENGRAVING WALL PANEL


3D PET WALL PANEL

100% PET

| Material | Size | Thickness |
|----------|------------|-----------|
| PET 100% | 500x500 mm | 30mm |

GRS-PR-005





ARTISTICO® PET ENGRAVING WALL PANEL

3D PET WALL PANEL




100% PET

| Material | Size | Thickness |
|----------|------------|-----------|
| PET 100% | 333x333 mm | 29mm |

GRS-PR-006



GRS-PR-007









ARTISTICO® PET ENGRAVING WALL PANEL

3D PET WALL PANEL

100% PET

| Material | Size | Thickness |
|----------|------------|-----------|
| PET 100% | 500x500 mm | 25mm |

GRS-PR-008






ARTISTICO® PET ENGRAVING WALL PANEL

PET ENGRAVING V GROOVE SERIES

100% PET

| Material | Size | Thickness |
|----------|------------|-----------|
| PET 100% | 840x461 mm | 9mm |



ARTISTICO® printing acoustic solutions, combine economical sound absorbing solutions with digital printing to create a vivid pattern or texture, offer you additional creative elements for your project.

ARTISTICO® PET ENGRAVING WALL PANEL

UV-WOOD TEXTURE

100% PET

| Material | Size | Thickness |
|----------|--------------|-----------|
| PET 100% | 1200x2400 mm | 9/12mm |

GRS-IN-001



GRS-IN-002



GRS-IN-003



ARTISTICO® PET ENGRAVING WALL PANEL

UV-CEMENT GRAY

100% PET

| Material | Size | Thickness |
|----------|--------------|-----------|
| PET 100% | 1200x2400 mm | 9/12mm |

GRS-IN-004



GRS-IN-005



GRS-IN-006






ARTISTICO® ENGRAVING HANGING ROOM DIVIDER

ENGRAVING HANGING ROOM DIVIDER

100% PET

| Material | Size | Thickness |
|----------|--------------|-----------|
| PET 100% | 1200x2440 mm | 9mm |
| PET 100% | 1225x2800 mm | 12mm |



ARTISTICO® Desk screen

Page number 15~48



ARTISTICO® Hanging wall Telephone pod

Page number 75~80




ARTISTICO® Acoustic White Board

Page number 59~74



ARTISTICO® Acoustic Hanging Baffle

Page number 83~86



ARTISTICO®

ACOUSTIC SOLUTIONS



PET acoustic panel

Different mounting methods with different clips



Single Desk Middle Clip



Double Desk Middle Clip



Single Desk Side Clip


Artistico® DESK SCREEN

Engraving desk screen


100% PET+CNC engraving and cutting

| Material | Size | Thickness |
|----------|-----------------|-----------|
| PET 100% | 1400x300/400 mm | 9/12mm |
| PET 100% | 1500x300/400 mm | 9/12mm |
| PET 100% | 1600x300/400 mm | 9/12mm |
| PET 100% | 1800x300/400 mm | 9/12mm |


Desk screen
1400x600 mm




Desk screen
1500x600 mm



Desk screen
1600x600 mm



Desk screen
1800x600 mm





ARTISTICO® DESK SCREEN

Sound absorption and noise reduction, mildew and moisture-proof,
can be tied file labels

More than 40 color options to match different scenes







ARTISTICO® DESK SCREEN

Engraving desk screen

100% PET+CNC engraving and cutting

| Material | Size | Thickness |
|----------|-----------------|-----------|
| PET 100% | 1400x300/400 mm | 9/12mm |
| PET 100% | 1500x300/400 mm | 9/12mm |
| PET 100% | 1600x300/400 mm | 9/12mm |
| PET 100% | 1800x300/400 mm | 9/12mm |






ARTISTICO® DESK SCREEN


Engraving desk screen with Acrylic
100% PET+CNC engraving and cutting

| Material | Size | Thickness |
|----------|-----------------|-----------|
| PET 100% | 1400x300/400 mm | 18mm |
| PET 100% | 1500x300/400 mm | 18mm |
| PET 100% | 1600x300/400 mm | 18mm |
| PET 100% | 1800x300/400 mm | 18mm |


Desk screen
1500x600 mm




Desk screen
1500x600 mm





Desk screen
1500x600 mm



Desk screen
1500x600 mm



Desk screen
1500x600 mm





GREENISH®
ACOUSTIC WHITE BOARD

GREENISH®
FREE STANDING SCREEN

GREENISH®
DESK SCREEN

ARTISTICO® DESK SCREEN

Sound absorption and noise reduction, mildew and moisture-proof,
can be tied file labels
More than 40 color options to match different scenes



100% PET+ engraving process,
forming a simple office space
sound-absorbing screen, which
can be customized according to
different sizes DIY


ARTISTICO® DESK SCREEN

Engraving insert desk screen(no clips)
100% PET+CNC engraving and cutting


PET panel as core material,more size can be customized

| Material | Size | Thickness |
|----------|------------------|-------------|
| PET 100% | 600x600 mm,R50mm | 9+9/12+12mm |
| PET 100% | 700x600 mm,R50mm | 9+9/12+12mm |
| PET 100% | 850x600 mm,R50mm | 9+9/12+12mm |


Desk screen
600x600 mm



Desk screen
700x600 mm



Desk screen
850x600 mm





ARTISTICO® DESK SCREEN

Sound absorption and noise reduction, mildew and moisture-proof,
can be tied file labels
More than 40 color options to match different scenes

ARTTISTICO® DESK SCREEN

Sound absorption and noise reduction, mildew and moisture-proof,
can be tied file labels
More than 40 color options to match different scenes


ARTISTICO® DESK SCREEN

Engraving desk screen(U Type)
100% PET+CNC engraving and cutting


PET panel as core material,more size can be customized

| Material | Size | Thickness |
|----------|-----------------------------|-------------|
| PET 100% | (400+1200+400)x600 mm,R30mm | 9+9/12+12mm |
| PET 100% | (400+1400+400)x600 mm,R30mm | 9+9/12+12mm |
| PET 100% | (400+1500+400)x600 mm,R30mm | 9+9/12+12mm |
| PET 100% | (400+1600+400)x600 mm,R30mm | 9+9/12+12mm |



Desk dividers
(400+1200+400) x600 mm



Desk dividers
(400+1500+400) x600 mm



Desk dividers
(400+1600+400) x600 mm





ARTISTICO® DESK SCREEN








Sound absorption and noise reduction, mildew and moisture-proof,
can be tied file labels
More than 40 color options to match different scenes

ARTISTICO® DESK SCREEN

Engraving desk screen(L Type
100% PET+CNC engraving and cutting

PET panel as core material,more size can be customized

| Material | Size | Thickness |
|----------|------------------------|-----------|
| PET 100% | (600+590)x600 mm,R30mm | 9/12mm |
| PET 100% | (600+690)x600 mm,R30mm | 9/12mm |
| PET 100% | (600+740)x600 mm,R30mm | 9/12mm |
| PET 100% | (600+790)x600 mm,R30mm | 9/12mm |



GREENISH®
FABRIC WARPPED HANGING WALL WHITE BOARD

GREENISH®
FABRIC WARPPED FREE STADING SCREEN

GREENISH®
FABRIC WARPPED DESK SCREEN

ARTISTICO® DESK SCREEN

Sound absorption and noise reduction, mildew and moisture-proof,
can be tied file labels
More than 20 color options to match different scenes




ARTISTICO® DESK SCREEN

Fabric wrapped desk screen
100% PET + textile


PET panel as core material,more size can be customized

| Material | Size | Thickness |
|--------------------|-------------------|-----------|
| 100% PET + textile | 600x600 mm,R30mm | 22/28mm |
| 100% PET + textile | 1200x600 mm,R30mm | 22/28mm |
| 100% PET + textile | 1400x600 mm,R30mm | 22/28mm |
| 100% PET + textile | 1500x600 mm,R30mm | 22/28mm |
| 100% PET + textile | 1600x600 mm,R30mm | 22/28mm |


Desk screen
1400x600 mm





Desk screen
1500x600 mm



Desk screen
1600x600 mm



Desk screen
600x600 mm





GREENISH®
FABRIC WARPPED HANGING WALL WHITE BOARD

GREENISH®
FABRIC WARPPED WHITE BOARD

GREENISH®
FABRIC WARPPED DESK SCREEN(CHAMFER TYPE)



ARTISTICO® DESK SCREEN

Sound absorption and noise reduction, mildew and moisture-proof,
can be tied file labels
More than 20 color options to match different scenes



Artistico
Furniture

SMART
OFFICE ACOUSTIC

GREENISH®
ACOUSTIC LIGHTING


ARTISTICO® DESK SCREEN

Fabric wrapped desk screen(Chamfer type)
100% PET + textile


The size can be customized

| Material | Size | Thickness |
|--------------------|-------------------|-----------|
| 100% PET + textile | 600x600 mm,R30mm | 22/28mm |
| 100% PET + textile | 1200x600 mm,R30mm | 22/28mm |
| 100% PET + textile | 1400x600 mm,R30mm | 22/28mm |
| 100% PET + textile | 1500x600 mm,R30mm | 22/28mm |
| 100% PET + textile | 1600x600 mm,R30mm | 22/28mm |



Desk screen
1400x600 mm



Desk screen
1500x600 mm



Desk screen
1600x600 mm





ARTISTICO® DESK SCREEN

Sound absorption and noise reduction, mildew and moisture-proof,
can be tied file labels
More than 20 color options to match different scenes


ARTISTICO® DESK SCREEN

Fabric wrapped desk screen(Edge sealing type)
100% PET+ textile


The size can be customized

| Material | Size | Thickness |
|-------------------|-------------------|-------------------|
| 100% PET+ textile | 1200x600 mm,R30mm | 9+9/12+12/14+14mm |
| 100% PET+ textile | 1400x600 mm,R30mm | 9+9/12+12/14+14mm |
| 100% PET+ textile | 1500x600 mm,R30mm | 9+9/12+12/14+14mm |
| 100% PET+ textile | 1600x600 mm,R30mm | 9+9/12+12/14+14mm |


Desk screen
1400x600 mm



Desk screen
1500x600 mm




Desk screen
1600x600 mm



ARTISTICO® DESK SCREEN

Sound absorption and noise reduction, mildew and moisture-proof,
can be tied file labels
More than 20 color options to match different scenes



ARTISTICO® DESK SCREEN

Sound absorption and noise reduction, mildew and moisture-proof,
can be tied file labels
More than 40 color options to match different scenes



ARTISTICO® DESK SCREEN

Sound absorption and noise reduction, mildew and moisture-proof,
can be tied file labels
More than 40 color options to match different scenes


ARTISTICO® DESK SCREEN

Engraving under desk screen
100% PET+CNC engraving and cutting




The size can be customized

| Material | Size | Thickness |
|----------|-------------------|------------------|
| PET 100% | 1100x350 mm,R30mm | 9/12/9+9/12+12mm |
| PET 100% | 1300x350 mm,R30mm | 9/12/9+9/12+12mm |
| PET 100% | 1400x350 mm,R30mm | 9/12/9+9/12+12mm |
| PET 100% | 1500x350 mm,R30mm | 9/12/9+9/12+12mm |

Desk screen
1300x350 mm



Desk screen
1500x350 mm





GREENISH®
ACOUSTIC DESK DIVIDER

ARTISTICO® FREE STANDING SCREEN


Sound absorption and noise reduction, mildew and moisture-proof,
can be tied file labels
More than 40 color options to match different scenes

ARTISTICO® FREE STANDING SCREEN


Engraving free standing screen
100% PET+CNC engraving and cutting

| Material | Size | Thickness |
|----------|--------------------|-----------|
| PET 100% | 1640x600 mm, R30mm | 32mm |
| PET 100% | 1800x600 mm, R30mm | 32mm |
| PET 100% | 2000x600 mm, R30mm | 32mm |





GREENISH®
1640x600 mm



GREENISH®
1800x600 mm



GREENISH®
2000x600 mm





ARTISTICO® FREE STANDING SCREEN







Sound absorption and noise reduction, mildew and moisture-proof,
can be tied file labels
More than 20 color options to match different scenes



ARTISTICO® FREE STANDING SCREEN

Fabric wrapped free standing screen(Connector type
100% PET + textile

| Material | Size | Thickness |
|--------------------|-------------|-----------|
| 100% PET + textile | 1620x600 mm | 32mm |
| 100% PET + textile | 1620x800 mm | 32mm |
| 100% PET + textile | 1620x900 mm | 32mm |





ARTISTICO® FREE STANDING SCREEN

Sound absorption and noise reduction, mildew and moisture-proof,
can be tied file labels

More than 20 color options to match different scenes



ARTISTICO® FREE STANDING SCREEN

Sound absorption and noise reduction, mildew and moisture-proof,
can be tied file labels
More than 20 color options to match different scenes


ARTISTICO® FREE STANDING SCREEN

Fabric wrapped free standing screen(Zipper type)
100% PET + textile


PET panel as core material,more size can be customized

| Material | Connection | Thickness |
|--------------------|-------------------|-----------|
| 100% PET + textile | 1620x600 mm,R30mm | 32mm |
| 100% PET + textile | 1620x600 mm,R30mm | 32mm |
| 100% PET + textile | 1450x800 mm,R30mm | 32mm |





Floor-to-ceiling screens
Acrylic



Floor-to-ceiling screens
Magic wand



Floor-to-ceiling screens
Zipper





ARTISTICO® ACOUSTIC WHITE BOARD

Sound absorption and noise reduction, mildew and moisture-proof,
can be tied file labels

More than 20 color options to match different scenes



ARTISTICO® ACOUSTIC WHITE BOARD

Sound absorption and noise reduction, mildew and moisture-proof,
can be tied file labels
More than 20 color options to match different scenes


ARTISTICO® ACOUSTIC WHITE BOARD

Fabric wrapped white board
100% PET + textile + glass

PET panel as core material,more size can be customized Material

| Size | | Thickness |
|----------------------------|---------------------|-----------|
| 100% PET + textile + glass | 800x1640 mm,R100mm | 40mm |
| 100% PET + textile + glass | 1200x1640 mm,R100mm | 40mm |

white board
800x1650 mm




Front glass/textile



Back textile





white board
1200x1650 mm



Front glass/textile



Back textile





ARTISTICO® ACOUSTIC WHITE BOARD


Fabric wrapped white board

100% PET + textile + glass


PET panel as core material, more size can be customized Material

| Size | Thickness | |
|----------------------------|--------------|------|
| 100% PET + textile + glass | 1006x1906 mm | 30mm |



white board
1006x1906 mm




Front textile



Back textile













ARTISTICO® ACOUSTIC WHITE BOARD

Acrylic white board
100% PET + glass

PET panel as core material,more size can be customized Material

| Size | Thickness | |
|------------------|--------------|------|
| 100% PET + glass | 815x1596 mm | 30mm |
| 100% PET + glass | 815x1996 mm | 30mm |
| 100% PET + glass | 1315x1496 mm | 30mm |





Sound absorption and noise reduction, mildew and moisture-proof,
can be tied file labels
More than 20 color options to match different scenes



ARTISTICO® ACOUSTIC WHITE BOARD

Sound absorption and noise reduction, mildew and moisture-proof, can be tied file labels
More than 20 color options to match different scenes


ARTISTICO® ACOUSTIC WHITE BOARD

Fabric wrapped Hanging wall white board
100% PET + textile + glass


PET panel as core material,more size can be customized Material

| Size | Thickness | |
|----------------------------|---------------------|------|
| 100% PET + textile + glass | 1500x900 mm,R100mm | 25mm |
| 100% PET + textile + glass | 1500x1000 mm,R100mm | 25mm |
| 100% PET + textile + glass | 1900x1000 mm,R100mm | 25mm |



white board
1500x1000 mm





white board
1900x900 mm



white board
1900x1000 mm







ARTISTICO® ACOUSTIC WHITE BOARD

Acoustic desk white board
 100% PET + textile + glass

PET panel as core material,more size can be customized Material

| Size | Thickness | |
|----------------------------|------------------|------|
| 100% PET + textile + glass | 600x340 mm,R40mm | 40mm |

white board
 800x1650 mm



ARTISTICO® HANGING WALL TELEPHONE POD

Sound absorption and noise reduction, mildew and moisture-proof, can be tied file labels
More than 20 color options to match different scenes



ARTISTICO® HANGING WALL TELEPHONE POD


Hanging wall Telephone pod
100% PET + textile

PET panel as core material,more size can be customized

| Material | Size | Thickness |
|--------------------|----------------|-----------|
| 100% PET + textile | 805x642x985 mm | 40mm |

Hanging wall Telephone pod
985x646x807 mm





Sound absorption and noise reduction, mildew and moisture-proof,
can be tied file labels
More than 40 color options to match different scenes



ARTISTICO® ACOUSTIC TELEPHONE POD





Hanging wall Telephone pod

100% PET + textile

PET panel as core material,more size can be customized

| Material | Size | Thickness |
|--------------------|----------------|-----------|
| 100% PET + textile | 750x750x500 mm | 9mm/12mm |

Hanging wall Telephone pod
750x750x500 mm




ARTISTICO® ACOUSTIC WORK STATION

Acoustic Work Station
100% PET+CNC engraving and cutting


PET panel as core material,more size can be customized

| Material | Size | Thickness |
|----------|---------------|-----------|
| PET 100% | 2400x1200x9mm | 9mm |
| PET 100% | 2700x1200x9mm | 12mm |

An office cubicle
1655x1450x1400 mm




An office cubicle
1693x739x1450 mm



ARTISTICO® ACOUSTIC DESK DIVIDER

Sound absorption and noise reduction, mildew and moisture-proof,
can be tied file labels
More than 20 color options to match different scenes





ARTISTICO® ACOUSTIC HANGING BAFFLE

Sound absorption and noise reduction, mildew and moisture-proof,
can be tied file labels

More than 40 color options to match different scenes






ARTISTICO® ACOUSTIC HANGING BAFFLE

Acoustic Hanging Baffle

100% PET+CNC engraving and cutting

PET panel as core material,more size can be customized

| Material | Size | Thickness |
|----------|---------------|-----------|
| PET 100% | 2400x1200x9mm | 9mm |
| PET 100% | 2700x1200x9mm | 12mm |



THANKS



Showroom : 9 B12- MO5_District 5, Marakez Cairo-Sokhna Highway, Cairo, Egypt.

Tel.:(+ 2)01288476930 - (+2)01211506593 - (+2) 01282337668

Tel.:(+ 2)01227364918 - (+2)01282337668

Factory : Industrial Area (C5) 10th Of Ramadan, Zone 40, Sharqia , Egypt.



[www. artisticofurniture.com](http://www.artisticofurniture.com)